

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An information search and presentation system comprising:

a 3D image converter for outputting 3D image data on the basis of a plurality of aerial photographs obtained by photographing a single area from different places, with a physical position of the area being specified;

a first database for storing a pair of a textual expression and position information as a unit record, the textual expression pertaining to a name and contents of a landmark existing in the area photographed to obtain the aerial photographs;

a search engine for outputting link information for page data including associated contents from a set of page data on public view in a World Wide Web in response to an input keyword; and

a 3D image browser for creating a 3D stereoscopic image viewed from a viewpoint position designated by a user on the basis of the 3D image data from said 3D image converter and the viewpoint position, presenting the image to the user, looking up said first database in accordance with an associated information presentation request associated with the position designated by the user, and, if a landmark corresponding to the designated position exists, outputting to said search engine [[a]] the textual expression pertaining to a name and contents of the corresponding landmark as obtained from said first database, as a keyword to ~~present a search result obtained by~~ be provided as a search term to said search engine to search the World Wide Web.

2. (Original) The system according to claim 1, further comprising:

a second database for recording an ID of the user and a viewpoint position of the user;

a user position display unit for adding a user position mark indicating a current position of the user to a viewpoint position designated by the user on the 3D stereoscopic image presented by said 3D image browser, extracting a viewpoint position and ID of a distant user from said second database, and presenting the extracted viewpoint position and ID with a distant user position mark indicating the position of the distant user being added; and

an interaction connection section for, when the user generates a request for interaction by designating a specific distant user position mark, performing interaction connection upon regarding an ID of a distant user corresponding to a current position of the designated distant user position mark.

3. (Original) A system according to claim 2, wherein

said system further comprises a storage section storing the maximum number of distant users, in advance, which indicates the maximum number of current positions of distant users which are to be displayed; and

said user position display unit extracts viewpoint positions and IDs of distant users from said second database by a number equal to the maximum number stored in said storage section in increasing order of distance from the current position of the user, and presenting the extracted viewpoint positions and IDs, with distant user position marks indicating the positions of the distant users being added.

4. (Original) A system according to claim 2, wherein said

interaction connection section activates an interaction function program in making connection to a distant user.

5. (Original) A system according to claim 4, wherein the

interaction function program comprises a program for performing interaction connection by using a selected one of electronic mail, telephone, and electronic chat functions.

6. (Original) A system according to claim 1, further comprising:
 - a second database for storing user stay information constituted by a pair of a landmark where the user stayed and a stay duration of a user's stay;
 - a log retention section for recording a pair of a viewpoint position of the user and a corresponding time as a movement log;
 - a time storage section storing a minimum stay duration in a landmark area, in advance, which is used to determine whether the user is interested in a specific landmark;
 - a distance storage section storing a distance indicating a range of a landmark area, in advance, which is used to determine whether the user is interested in a specific landmark;
 - a stay duration calculation section for extracting a position of a landmark over which the user passed and a corresponding time from movement logs retained in said log retention section by referring to said second database, and calculating a stay duration in the landmark area from first and last times at which a viewpoint position of the user is located within the range indicated by the distance stored in said distance storage section which corresponds to positions before and after the position of the extracted landmark;
 - a stay landmark determination section for, when the stay duration output from said stay duration calculation section is not less than the time stored in said time storage section, determining that the user has stayed in the landmark, and adding a unit record constituted by a pair of a landmark name and a stay duration to said second database;
 - an instruction log retention section for recording a unit record constituted by a pair of a landmark name for which an associated information presentation instruction is issued by the user and a designated time as an information presentation instruction log; and
 - a presentation section for outputting all records in said second database and all records in said log retention section in accordance with a totalizing result presentation instruction.

7. (Previously Presented) A system according to claim 1, wherein said 3D image browser comprises:

a 3D image creation section for creating a 3D stereoscopic image viewed from a viewpoint position designated by the user on the basis of 3D image data from said 3D image converter and the viewpoint position;

a database access section for accessing said database in accordance with an associated information presentation request associated with the viewpoint position designated by the user; and

a search control section for, when an access result indicates that a landmark corresponding a designated position exists, outputting to said search engine a textual expression pertaining to a name and contents of the corresponding landmark as a keyword, and presenting a search result output from said search engine.

8. (Currently Amended) An information search and presentation system comprising:

3D image conversion means for outputting 3D image data on the basis of a plurality of aerial photographs obtained by photographing a single area from different places, with a physical position of the area being specified;

a database for storing a pair of a textual expression and position information as a unit record the textual expression pertaining a name and contents of a landmark existing in the area photographed to obtain the aerial photographs;

search means for outputting link information for page data including associated contents from a set of page data on public view in a World Wide Web in response to an input keyword;

3D image creation means for creating a 3D stereoscopic image viewed from a viewpoint position designated by a user on the basis of the 3D image data from said 3D image converter and the viewpoint position;

database access means for accessing said database in accordance with an associated information presentation request associated with the position designated by the user; and

search control means for, if an access result indicating that a landmark corresponding to the designated position exists, outputting to said search means ~~[[a]]~~ the textual expression pertaining to a name and contents of the corresponding landmark as obtained from the database as a keyword, ~~and presenting a search result output from~~ the keyword being used by said search means as a search term for searching the World Wide Web.

9. (Previously Presented) A system according to claim 1, wherein the first database stores no other information besides a plurality of pairs of textual expressions and position information, as a plurality of unit records.

10. (Previously Presented) A system according to claim 1, wherein the first database is not accessible via the World Wide Web.

11. (Previously Presented) A system according to claim 8, wherein the database stores no other information besides a plurality of pairs of textual expressions and position information, as a plurality of unit records.

12. (Previously Presented) A system according to claim 8, wherein the database is not accessible via the World Wide Web.

13. (Previously Presented) A system according to claim 7, wherein said database access section is only capable of accessing said database, and wherein said search engine is not capable of accessing said database.